ValvACT, Inc.®
5904 Jessamine St. Ste A-18
Houston, TX 77081
713-592-0869

Electric hydraulic powerpack for an SG1000D Actuator

$5,000 (This does not include the butterfly valve or actuator as pictured)

This includes the following:

- Electric hydraulic unit
- Adapter plate to connect the SG 1000 D Actuator
- Control box fitted to the electric hydraulic unit.

Functionality:

- Local Control
- Open
- Close

Technical Specification:

- 1.000Nm (@210bar)
- Working pressure 210 Bar
- Power connection 1.5kW 110V 4P, (E.M.G motor from UK)
- Open close time 4 sec over full stroke.

Type		Performance		Valve Attachment Flange EN ISO 5211		Hallow shaft with feather key		Hallow shaft with square	
HyRAV	Torque [Nm]	power [W]		Remote [sec]	Fail Safe [sec]	Standard	Options	[mm]	[mm]
SG 1000 D	1000	40...550	230/400VAC,3P, 50/60Hz	7....49		F12	F10-F12-F14	max. Ø 42 H9	max. ◊ 36 H11

Dimensions (See figure A)			
Type	Dim A	Dim B	Dim C
HyRAV	[mm]	[mm]	[mm]
SG 1000 D	622	173	228

ValvACT, Inc.®
5904 Jessamine St. Ste A-18
Houston, TX 77081
713-592-0869






figure A

P&ID Single and double acting open close & control

Fail safe position (spring)




Open close & control



ValvACT, Inc.®
5904 Jessamine St. Ste A-18
Houston, TX 77081
713-592-0869





Please call us or email us to request a brochure and get more details.